EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	72	@ad<"20000331" and "725"/$.ccls. and ((predict$3 or guess$3 or guesstimat$3 or estimat$3) with (delay$3 or (tim$3 near3 chang$3) or late or later or earl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:23
L2	47	@ad<"20000331" and "725"/$.ccls. and ((predict$3 or guess$3 or guesstimat$3 or estimat$3) with (delay$3 or (tim$3 near3 chang$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:23
L3	1	@ad<"20000331" and "725"/$.ccls. and ((predict$3 or guess$3 or guesstimat$3 or estimat$3) with (delay$3 or (tim$3 near3 chang$3))) and (rerun$4 or (re adj run $4) or syndicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:24
L4	0	@ad<"20000331" and "725"/$.ccls. and "386"/$.ccls. and ((predict$3 or guess$3 or guesstimat$3 or estimat$3) with (delay$3 or (tim$3 near3 chang$3))) and (rerun$4 or (re adj run$4) or syndicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:28
L5	3	@ad<"20000331" and "725"/$.ccls. and "386"/$.ccls. and ((predict$3 or guess$3 or guesstimat$3 or estimat$3) with (delay$3 or (tim$3 near3 chang$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:28
L6	13	@ad<"20000331" and "725"/$.ccls. and ((predict$3 or guess$3 or guesstimat$3 or estimat$3) with (record or recording or recorded) with (time or timing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:39
L7	171	@ad<"20000331" and "725"/$.ccls. and ((adjust$3 or chang$3 or modify$3 or modification or delay$3) with (record or recording or recorded) with (time or timing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:44

L8	12	@ad<"20000331" and "725"/$.ccls. and ((adjust$3 or chang$3 or modify$3 or modification or delay$3) with (record or recording or recorded) with (time or timing)) and (rerun$4 or (re adj run$4) or syndicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:45
L9	68	@ad<"20000331" and "725"/$.ccls. and ((adjust$3 or chang$3 or modify$3 or modification or delay$3) with (record or recording or recorded) with (time or timing)) and ((similar or related) near3 (program$4 or episode or show))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:51
L10	3	@ad<"20000331" and "725"/$.ccls. and (((adjust$3 or chang$3 or modify$3 or modification or delay$3) with (record or recording or recorded) with (time or timing)) same ((similar or related) near3 (program$4 or episode or show)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:51
L11	1	@ad<"20000331" and "725"/$.ccls. and (((adjust$3 or chang$3 or modify$3 or modification or delay$3) with (record or recording or recorded) with (start$3)) same ((similar or related) near3 (program$4 or episode or show)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:57
L12	1	@ad<"20000331" and "725"/$.ccls. and (((adjust$3 or chang$3 or modify$3 or modification or delay$3) with (record or recording or recorded) with (start$3)) same (((similar or related) near3 (program$4 or episode or show)) or rerun$4 or (re adj run$4) or reran or syndicat$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 11:58
L13	262	@ad<"20000331" and 386/89.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:07

L14	6	@ad<"20000331" and 386/89.ccls. and (estimat$3 or guesstimat$4 or predict$3 or calcuat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:08
L15	0	@ad<"20000331" and 386/89.ccls. and ((similar or related) near4 (program$4 or show or epidode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:11
L16	5	@ad<"20000331" and 386/89.ccls. and ((similar or related) with (program$4 or show or epidode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:11
L17	0	@ad<"20000331" and 386/89.ccls. and (rerun$4 or reran or syndicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:12
L18	73	@ad<"20000331" and "386"/ $.ccls. and (rerun$4 or reran or syndicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:12
L19	22	@ad<"20000331" and "386"/ $.ccls. and (rerun$4 or reran or syndicat$4) and (estimat $3 or guesstimat$4 or predict $3 or calcuat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:13
L20	18	@ad<"20000331" and "386"/ $.ccls. and ((estimat$3 or guesstimat$4 or predict$3 or calcuat$3) near3 shift$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:27
L21	678	@ad<"20000331" and "386"/ $.ccls. and (record$3 with (time or timing) with (related or similar))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:32
L22	35	@ad<"20000331" and "386"/ $.ccls. and (record$3 with (time or timing) with (related or similar) with (delay$3 or earl$3 or late or later))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:33
L23	216	@ad<"20000331" and "386"/ $.ccls. and ((similar or related or "same") near3 title)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:44

L24	25	@ad< "20000331" and "386"/83,85-91.ccls. and ((similar or related or "same") near3 title)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:45
L25	2	"20020054068".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:46
L26	1	"20020054068".pn. and title	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:46
L27	0	"20020054068".pn. and (subject near3 matter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:46
L28	2	@ad< "20000331" and "386"/83,85-91.ccls. and (log with (delay$3 or late or later or earl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 12:58
L29	1	"20020054068".pn. and (time with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:04
L30	2	"20020054068".pn. and (interval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:06
L32	0	@ad< "20000331" and ("386"/$.ccls. or "725"/$.ccls.) and ((doubleheader or (double adj header)) with (record$3 or guide or epg or ipg))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:37
L33	0	@ad< "20000331" and ("386"/$.ccls. or "725"/$.ccls.) and ((doubleheader or (double adj header)) same (record$3 or guide or epg or ipg))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:37
L34	0	@ad< "20000331" and ("386"/$.ccls. or "725"/$.ccls.) and (doubleheader or (double adj header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:38

L35	89	@ad<"20000331" and (doubleheader or (double adj header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:38
L36	1	@ad<"20000331" and ((doubleheader or (double adj header)) with (soccer or football or baseball or basketball))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:38
L37	0	@ad<"20000331" and ((doubleheader or (double adj header)) with (televis$4 or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:39
L38	5	@ad<"20000331" and (doubleheader or (double adj header)) and (television or tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:39
L39	2	@ad<"20000331" and ((doubleheader or (double adj header)) with (football or game or sport$3 or soccer or baseball or basketball))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:40
L40	3	@ad<"20000331" and ((doubleheader or (double adj header)) same (football or game or sport$3 or soccer or baseball or basketball))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 13:41
L41	0	@ad<"20000331" and ("386"/$.ccls. or "725"/$. ccls.) and ((back adj back) with (football or soccer or baseball or game or sport$3 or basketball))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 14:02
L42	0	@ad<"20000331" and ("386"/$.ccls. or "725"/$. ccls.) and ((back adj back) same (football or soccer or baseball or game or sport$3 or basketball))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 14:03
L43	11	@ad<"20000331" and ("386"/$.ccls. or "725"/$. ccls.) and (marathon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 14:09
L44	8	@ad<"20000331" and (marathon with (television or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 14:10

L45	37	@ad<"20000331" and ("386"/$.ccls. or "725"/$. ccls.) and (back adj back)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 14:12
S1	2	("6185360").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 09:52
S2	378	@ad<"20000331" and "725"/ $.ccls. and (predict$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:58
S3	107	@ad<"20000331" and "725"/ $.ccls. and (predict$3 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:58
S4	1	@ad<"20000331" and "725"/ $.ccls. and (predict$3 with time with record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:58
S5	10	@ad<"20000331" and "725"/ $.ccls. and ((predict$3 with time) same record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:59
S6	1	@ad<"20000331" and "725"/ $.ccls. and (predict$3 with confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:15
S7	0	@ad<"20000331" and ("725"/$.ccls. and "700"/$. ccls.) and (predict$3 with confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:16
S8	47	@ad<"20000331" and ("725"/$.ccls. or "700"/$. ccls.) and (predict$3 with confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:16
S9	1	@ad<"20000331" and ("725"/$.ccls. or "700"/$. ccls.) and (predict$3 with confidence with record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:16

S10	1	@ad<"20000331" and ("725"/$.ccls. or "700"/$.ccls.) and ((predict$3 with confidence) same record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:16
S11	7	@ad<"20000331" and (tv or television) and ((predict$3 with confidence) same record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:17
S12	2	@ad<"20000331" and "725"/$.ccls. and (predict$3 same confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:24
S13	0	@ad<"20000331" and "725"/$.ccls. and (recommend$5 with confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:25
S14	0	@ad<"20000331" and "725"/$.ccls. and (recommend$5 same confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:25
S15	0	@ad<"20000331" and "725"/$.ccls. and (recommendation same confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:25
S16	143	@ad<"20000331" and "725"/$.ccls. and (recommendation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:25
S17	249	@ad<"20000331" and "725"/$.ccls. and (recommend$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:25
S18	6	@ad<"20000331" and "725"/$.ccls. and (recommend$5) and (confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:25
S19	57	@ad<"20000331" and "725"/$.ccls. and (confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:26

S20	25	@ad<"20000331" and "725"/$.ccls. and (confidence with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:26
S21	0	@ad<"20000331" and "725"/$.ccls. and ((confidence with level) same record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:27
S22	22	@ad<"20000331" and "725"/$.ccls. and (confidence with level) and record$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:28
S23	1	@ad<"20000331" and "725"/$.ccls. and (confidence with level with tim$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:29
S24	10	@ad<"20000331" and "725"/$.ccls. and (confidence with tim$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:30
S25	2	@ad<"20000331" and "725"/$.ccls. and (record$3 with previous with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:17
S26	1	@ad<"20000331" and "725"/$.ccls. and (predict$3 with previous with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:18
S27	74	@ad<"20000331" and "725"/$.ccls. and (user with select $3 with automatic$5 with record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:22
S28	2	@ad<"20000331" and "725"/$.ccls. and (user with select $3 with automatic$5 with record$3 with start with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:23
S29	9	@ad<"20000331" and "725"/$.ccls. and (user with automatic$5 with record$3 with start with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:24

S30	5	@ad<"20000331" and "725"/$.ccls. and (select$3 with automatic$5 with record$3 with start with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:24
S31	4	@ad<"20000331" and "725"/$.ccls. and (time with change with icon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:26
S32	2	("6185360").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/22 10:45
S33	2	("6185360").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/24 15:06
S34	0	@ad<"20000331" and "725"/$.ccls. and (delay with "same" with (program$4 or episode or show) with (continuing or repeat$3 or reoccur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:06
S35	2	@ad<"20000331" and "725"/$.ccls. and (delay with (program$4 or episode or show) with (continuing or repeat$3 or reoccur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:06
S36	98	@ad<"20000331" and "725"/$.ccls. and ((delay$3 or late or later or early or earlier) with (continuing or repeat$3 or reoccur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:07
S37	18334	ellis.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:07
S38	97	S36 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:07
S39	8	@ad<"20000331" and "725"/$.ccls. and ((delay$3 or late or later or early or earlier) with (continuing or repeat$3 or reoccur$4) with record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:08

S40	9	@ad<"20000331" and "725"/ $.ccls. and (((delay$3 or late or later or early or earlier) with (continuing or repeat$3 or reoccur$4)) same record $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:12
S41	1	S40 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:12
S42	455	@ad<"20000331" and ((delay$3 or late or later or early or earlier) with (continuing or repeat$3 or reoccur$4) with record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:15
S43	59	@ad<"20000331" and ((delay$3 or late or later or early or earlier) with (continuing or repeat$3 or reoccur$4) with record$3 with (tv or television or episode or program$4 or show))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:15
S44	53	S43 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:16
S45	3	@ad<"20000331" and ((delay$3 or late or later or early or earlier) with (continuing or repeat$3 or reoccur$4) with record$3 with (tv or television or episode or program$4 or show) with (rerun or "same"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:16
S46	36	@ad<"20000331" and ((delay$3 or late or later or early or earlier) with (continuing or repeat$3 or reoccur$4) with record$3 with (rerun or "same"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:17
S47	0	@ad<"20000331" and ((delay$3 or late or later or early or earlier) with (continuing or repeat$3 or reoccur$4) with record$3 with (rerun$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:17

S48	0	@ad<"20000331" and ((delay$3 or late or later or early or earlier) with (continuing or repeat$3 or reoccur$4) with record$3 with (re adj run$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:17
S49	1	@ad<"20000331" and "725"/$.ccls. and ((reoccur$4 or repeat$3) with time with rerun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:22
S50	14	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((reoccur$4 or repeat$3) with rerun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:24
S51	11	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((reoccur$4 or repeat$3) with rerun with (delay$3 or earl$3 or lat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:25
S52	14	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((reoccur$4 or repeat$3) with rerun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:25
S53	3	S52 not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:25
S54	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and (reoccur$4 or repeat$3) with delay with predict$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:26
S55	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and (reoccur$4 or repeat$3) with (delay or earl$3 or lat$3) with predict$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:26
S56	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((reoccur$4 or repeat$3) with (delay or earl$3 or lat$3)) same predict$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:27
S57	162	@ad<"20000331" and (((reoccur$4 or repeat$3) with (delay or earl$3 or lat$3)) same predict$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:27

S58	52	@ad<"20000331" and ((reoccur$4 or repeat$3) with (delay or earl$3 or lat $3) with predict$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:27
S59	22	@ad<"20000331" and ((reoccur$4 or repeat$3) with (delay or earl$3 or lat $3) with predict$3 with (time or timing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:27
S60	11216	@ad<"20000331" and ((predict$3 or guess$3 or estimat$3) with (cutoff or (cut adj off) or delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:23
S61	157	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and ((predict$3 or guess$3 or estimat$3) with (cutoff or (cut adj off) or delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:23
S62	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and ((predict$3 or guess$3 or estimat$3) with (cutoff or (cut adj off) or delay) with rerun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:23
S63	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3) with (cutoff or (cut adj off) or delay)) same rerun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:23
S64	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3) with (cutoff or (cut adj off) or delay)) same rerun$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:23
S65	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3) with (cutoff or (cut adj off) or delay)) same reran$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:24
S66	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3) with (cutoff or (cut adj off) or delay)) same syndicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:24

S67	3	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3) with (cutoff or (cut adj off) or delay)) and (rerun or syndicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:24
S68	3	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3) same (cutoff or (cut adj off) or delay)) and (rerun or syndicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:26
S69	6	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3) same (cutoff or (cut adj off) or delay or earl$3 or later or late))) and (rerun or syndicat $4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:26
S70	4	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3 or calculat$3) same (cutoff or (cut adj off) or delay))) and (rerun or syndicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:27
S71	565	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3 or calculat$3) same (cutoff or (cut adj off) or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:27
S72	149	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (((predict$3 or guess$3 or estimat$3 or calculat$3) near3 (cutoff or (cut adj off) or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:28
S73	2	@ad<"20000331" and "725"/ $.ccls. and "386"/$.ccls. and (((predict$3 or guess$3 or estimat$3 or calculat$3) near3 (cutoff or (cut adj off) or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:28
S74	3	@ad<"20000331" and "725"/ $.ccls. and "386"/$.ccls. and (((predict$3 or guess$3 or estimat$3 or calculat$3) with (cutoff or (cut adj off) or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:28

S75	4	@ad<"20000331" and "725"/$.ccls. and "386"/$.ccls. and ((cutoff or (cut adj off) or delay) with (repeat$3 or reoccur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:29
S76	195	@ad<"20000331" and ("725"/.ccls. or "386"/.ccls.) and ((cutoff or (cut adj off) or delay) with (repeat$3 or reoccur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:30
S77	20	@ad<"20000331" and ("725"/.ccls. or "386"/.ccls.) and ((cutoff or (cut adj off) or delay) same (repeat$3 or reoccur$4) same (predict$3 or calculat $3 or guess$3 or guesstimat $3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:31
S78	1	@ad<"20000331" and ("725"/.ccls. or "386"/$.ccls.) and ((cutoff or (cut adj off) or delay) same (repeat$3 or reoccur$4) same (predict$3 or calculat $3 or guess$3 or guesstimat $3) same record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:32
S79	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((cutoff or (cut adj off)) same (syndicat$4 or rerun$4 or (re adj run$5) or reran))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:33
S80	15	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((cutoff or (cut adj off) or delay$3) same (syndicat$4 or rerun$4 or (re adj run$5) or reran))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:33
S81	15	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((cutoff or (cut$4 adj off) or delay$3) same (syndicat$4 or rerun$4 or (re adj run$5) or reran))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:35
S82	16	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((cutoff or (cut$4 adj off) or delay$3 or clip$4) same (syndicat$4 or rerun$4 or (re adj run$5) or reran))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:35

S83	1	S82 not S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:35
S84	3996	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or time or timing) same (syndicat$4 or rerun$4 or (re adj run$5) or reran or predict$3 or calculat$3 or guess$3 or averag$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:36
S85	3931	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or time or timing) same (predict$3 or calculat$3 or guess$3 or averag$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:37
S86	2847	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or time or timing) with (predict$3 or calculat$3 or guess$3 or averag$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:37
S87	914	@ad<"20000331" and ("725"/$.ccls. or "386"/$.ccls.) and (((cutoff or (cut$4 adj off) or delay$3 or clip$4 or time or timing) with (predict$3 or calculat$3 or guess$3 or averag$3)) same record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:37
S88	109	@ad<"20000331" and ("725"/$.ccls.) and (((cutoff or (cut$4 adj off) or delay$3 or clip$4 or time or timing) with (predict$3 or calculat$3 or guess$3 or averag$3)) same record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:37
S89	54	@ad<"20000331" and ("725"/$.ccls.) and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or time or timing) with (predict$3 or calculat$3 or guess$3 or averag$3) with record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:38

S90	13	@ad<"20000331" and ("725"/$.ccls.) and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or late or later or earl$3) with (predict$3 or calculat$3 or guess$3) with (averag$3 or frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:42
S91	0	@ad<"20000331" and ("725"/$.ccls.) and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or late or later or earl$3) with (predict$3 or calculat$3 or guess$3) with (averag$3 or frequency)) and (rerun or (re adj run) or syndicat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:42
S92	106	@ad<"20000331" and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or late or later or earl$3) with (predict$3 or calculat$3 or guess$3) with (averag$3 or frequency) with (alway or continu$4 or repeat$3 or reoccur$3 or often))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:44
S93	1	@ad<"20000331" and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or late or later or earl$3) with (predict$3 or calculat$3 or guess$3) with (averag$3 or frequency) with (alway or continu$4 or repeat$3 or reoccur$3 or often) with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:44
S94	4	@ad<"20000331" and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or late or later or earl$3) with (predict$3 or calculat$3 or guess$3) with (averag$3 or frequency) with (alway or continu$4 or repeat$3 or reoccur$3 or often) with record$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:44
S95	0	@ad<"20000331" and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or late or later or earl$3) with (predict$3 or calculat$3 or guess$3) with (averag$3 or frequency) with (alway or continu$4 or repeat$3 or reoccur$3 or often)) and (rerun$4 or syndicat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:45

S96	10	@ad<"20000331" and ((cutoff or (cut$4 adj off) or delay$3 or clip$4 or late or later or earl$3) with (predict $3 or calculat$3 or guess$3) with (averag$3 or frequency)) and (rerun$4 or syndicate$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:45
S97	88	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:46
S98	63	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4 or syndicat$3) and (cutoff or (cut$4 adj off) or clip$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:47
S99	5	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4 or syndicat$3) and ((cutoff or (cut$4 adj off) or clip$4) same (averag$3 or frequenc $3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:48
S100	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4 or (re adj run$4)) and ((cutoff or (cut$4 adj off) or clip$4) same (averag$3 or frequenc $3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:49
S101	33	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4 or (re adj run$4)) and ((cutoff or (cut$4 adj off) or clip$4) same (averag$3 or frequenc $3 or previous$4 or often or alway))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:49
S102	5	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4 or (re adj run$4)) and ((cutoff or (cut$4 adj off) or clip$4) with (record$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:51
S103	24	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4 or (re adj run$4)) and ((cutoff or (cut$4 adj off) or clip$4 or delay) with (record$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:52

S104	55	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4 or (re adj run$4)) and ((cutoff or (cut$4 adj off) or clip$4 or delay or late or later or earl $3) with (record$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:52
S105	0	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4 or (re adj run$4)) and ((cutoff or (cut$4 adj off) or clip$4 or delay or late or later or earl $3) with (record$3) with (adjust$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:53
S106	2	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and (rerun$4 or (re adj run$4)) and ((cutoff or (cut$4 adj off) or clip$4 or delay or late or later or earl $3) with (record$3) with (chang$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:53
S107	42	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and ((cutoff or (cut$4 adj off) or clip$4 or delay$3) with (record$3) with (predict $3 or calculat$3 or guess$3 estimat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:56
S108	42	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and ((cutoff or (cut$4 adj off) or clip$4 or delay$3) with (record$3) with (predict $3 or calculat$3 or guess$3 or estimat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 14:56
S109	53	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and ((cutoff or (cut$4 adj off) or clip$4 or delay$3) with (correct$3 or adjust$3) with (predict$3 or calculat$3 or guess$3 or estimat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 15:03
S110	17	@ad<"20000331" and ("725"/$.ccls. or "386"/$. ccls.) and ((cutoff or (cut$4 adj off) or clip$4 or delay$3) with (correct$3 or adjust$3) with (predict$3 or calculat$3 or guess$3 or estimat$3) with (time or timing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 15:03

S111	0	@ad<"20000331" and "725"/$.ccls. and "386"/$.ccls. and ((run$4 near2 over) same (predict$3 or calculat$3 or estimat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 16:59
S112	0	@ad<"20000331" and "725"/$.ccls. and "386"/$.ccls. and ((run$4 near2 over) same (repeat$3 or reoccur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 16:59
S113	6	@ad<"20000331" and "725"/$.ccls. and "386"/$.ccls. and (run$4 near2 over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 16:59

12/13/2008 2:59:37 PM
C:\Documents and Settings\jshepard\My Documents\EAST\Workspaces\fish_09821005.wsp